

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
7 September 2001 (07.09.2001)

PCT

(10) International Publication Number
WO 01/65508 A2

(51) International Patent Classification⁷: G07F 17/32

(21) International Application Number: PCT/US01/06395

(22) International Filing Date: 28 February 2001 (28.02.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/516,428 1 March 2000 (01.03.2000) US

(71) Applicant: ODS PROPERTIES, INC. [US/US]; 12421
West Olympic Boulevard, Los Angeles, CA 90064 (US).

(72) Inventors: SATTERFIELD, Kevin, D.; 12788 S. 289th E.
Avenue, Coweta, OK 74429 (US). MARSHALL, Connie,
T.; 2991 S. Woodland Road, Muskogee, OK 74401 (US).
ZARING, Jon, C.; 1400 Lake Hearn Drive, NE, Atlanta,
GA 30319 (US).

(74) Agents: PIERRI, Margaret, A. et al.; Fish & Neave, 1251
Avenue of the Americas, New York, NY 10020 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM,
HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK,
LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,
MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL,
TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.


(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished
upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: INTERACTIVE WAGERING SYSTEM WITH CRITERIA WAGERING



(57) Abstract: An interactive wagering application is provided that allows users to establish wagering criteria. When the wagering application detects that a wagering opportunity is available that satisfies the user's selected criteria, the wagering application may take an appropriate action. The wagering application may, for example, automatically place a wager or may notify a user that the criteria have been satisfied. Wagering criteria may be based on a particular track, horse, jockey, trainer, racetrack surface, race distance, statistics, jockey silks, odds or changes in odds, etc.

WO 01/65508 A2

INTERACTIVE WAGERING SYSTEM WITH CRITERIA WAGERING

Background of the Invention

This invention relates to interactive wagering, and more particularly, to interactive wagering applications that allow wagering criteria to be established by users. When a wagering opportunity arises that satisfies the user's criteria, the application may automatically place a wager, notify the user, or take other appropriate actions.

Wagering is a popular leisure activity. For example, many racing fans wager on events such as horse, dog, and harness racing. However, it may be inconvenient to attend racing events in person. Not all racing fans have sufficient time to visit racetracks as often as they would like and some fans have difficulties in obtaining suitable transportation to the track. Off-track betting establishments are available for fans who cannot attend racing events in person, but fans must still travel to the off-track betting establishments.

As a result, systems have been developed in which fans may place off-track wagers using personal computers connected to the Internet, standard telephones, or set-top boxes.

- 2 -

It is an object of the present invention to improve such systems by providing an interactive wagering system that allows users to set various wagering criteria. When the criteria are satisfied, 5 certain selected actions may be taken by the system.

Summary of the Invention

This and other objects of the invention are accomplished in accordance with the principles of the present invention by providing an interactive wagering 10 system in which an interactive wagering application may provide a user with an opportunity to establish various wagering criteria. When a wagering opportunity becomes available that satisfies the user's criteria, the wagering application may take an appropriate action.

15 Wagering criteria may include any suitable wagering-related parameters, such as a particular track, horse, jockey, trainer, track surface, race distance, silks (jockey colors), type of race (e.g., claiming, states, etc.), odds or changes in odds, class 20 ratings, gate position, purse amount, claim amount, weather conditions, etc. Users may select the criteria and multiple criteria may be established. For example, a user may desire to automatically place a wager or be notified of a wagering opportunity whenever the horse 25 "Cat Thief" is running and the jockey is "Pat Day."

The wagering application may determine when the wagering criteria are satisfied by comparing the wagering criteria to the racing data provided to the wagering application by a transaction processing and 30 subscription management system or other suitable equipment in the wagering system.

- 3 -

Various actions may be taken when the wagering criteria are satisfied. For example, the interactive wagering application may automatically place a wager. The user may select a desired wager
5 type and a desired wager amount for such automatic wagers. Multiple sets of wagering criteria may be established, each of which has a different associated action.

The wagering application may alert the user
10 when the wagering criteria have been satisfied, so that the user may decide whether to place a wager. The user may also be notified whenever a wager is placed automatically. Such notifications or confirmations may be used to alert the user to the automatic wagering
15 activity.

Further features of the invention, its nature and various advantages will be more apparent from the accompanying drawings and the following detailed description of the preferred embodiments.

20 Brief Description of the Drawings

FIG. 1 is a schematic diagram of an illustrative interactive wagering system on which an interactive wagering application may be implemented in accordance with the present invention.

25 FIG. 2 is an illustrative display screen that the interactive wagering application may display to provide a user with an opportunity to select various types of desired wagering criteria that are to be used to identify wagering opportunities of interest in
30 accordance with the present invention.

- 4 -

FIG. 3 is an illustrative display screen that the interactive wagering application may display to allow the user to select particular desired wagering criteria in accordance with the present invention.

5 FIG. 4 is an illustrative display screen that the interactive wagering application may display to allow the user to search for a particular horse to use as a wagering criteria in accordance with the present invention.

10 FIG. 5 is an illustrative display screen that the interactive wagering application may display to allow the user to select a desired horse from a list of horses displayed as the results of the search performed using the arrangement of FIG. 4 in accordance with the
15 present invention.

FIG. 6 is an illustrative display screen that the interactive wagering application may display to provide the user with an opportunity to select a wager type and wager amount for the application to use when
20 placing automatic wagers whenever the selected wager criteria have been satisfied in accordance with the present invention.

FIG. 7 is an illustrative display screen that the interactive wagering application may display that
25 contains a summary of multiple sets of wagering criteria that the user has selected in accordance with the present invention.

FIG. 8 shows how the user may select a desired set of wagering criteria from the screen of
30 FIG. 7 using a movable highlight region in accordance with the present invention.

- 5 -

FIG. 9 is an illustrative display screen showing how wager criteria details may be displayed as a partial-screen overlay on top of an existing display screen provided by the interactive wagering application.

FIG. 10 is a flow chart of illustrative steps involved in using the wagering criteria features of the interactive wagering application in accordance with the present invention.

10 Detailed Description of the Preferred Embodiments

An illustrative interactive wagering system 10 in accordance with the present invention is shown in FIG. 1. Aspects of the invention apply to various different types of wagering, but are described herein primarily in the context of interactive wagering on races (e.g., horse races) for specificity and clarity.

Races may be run at racetracks 12, which may be located at various geographic locations. Races run at the racetracks may be simulcast to television viewers. For example, simulcast videos may be provided to users with satellite receivers or to off-track betting establishments via satellite.

System 10 may be used to provide an interactive wagering service to users of various user equipment. An interactive wagering application may be used to provide the wagering service. The interactive wagering application may run locally on the user equipment (e.g., on a set-top box, personal computer, cellular telephone, handheld computing device, etc.) or may run using a client-server or distributed architecture where some of the application is

- 6 -

implemented locally on the user equipment in the form of a client process and some of the application is implemented at a remote location (e.g., on a server computer or other such equipment in the system) as a
5 server process. These arrangements are merely illustrative. Other suitable techniques for implementing the interactive wagering application may be used if desired.

Real-time videos from racetracks 12 may also
10 be provided to video production system 14 for distribution to users as part of a television wagering service (i.e., a wagering-related television channel or Internet-delivered service or the like). If desired, multiple simulcast videos may be provided to video
15 production system 14 in real-time. Talent (e.g., commentators) for the television wagering service provided by the interactive wagering application may be located at studio 16. Studio 16 may provide a video feed containing commentary and the like to video
20 production system 14. Graphic overlays for the television wagering service may be added to the service at video production system 14.

The television wagering service may use video production system 14 to combine selected video segments
25 from desired racing simulcasts with the video feed from studio 16 and suitable graphic overlays. If desired, video production system 14 or a separate facility may be used to reformat simulcasts from racetracks 12. For example, if racetracks 12 provide simulcasts as
30 traditional analog television channels, video production system 14 (or a separate facility) may convert these simulcasts or portions of these

- 7 -

simulcasts into digital signals (e.g., digital video signals) or into a different number of analog signals. Digital video signals may require less bandwidth than analog video signals and may be appropriate for
5 situations in which videos are to be transmitted over either high or low bandwidth pathways. Low bandwidth pathways may include telephone lines, the Internet, etc.

Video production system 14 may be used to
10 provide a television wagering service that includes selected simulcast videos, video from studio 16, and graphic overlays to television distribution facilities 18 (for redistribution to user television equipment 22 and user computer equipment (20); to user computer
15 equipment 20, and to user telephone equipment 32 (if user telephone equipment 32 has a display capable of displaying moving images). Television distribution facilities 18 may be any suitable facilities for supplying television to users, such as cable system
20 headends, satellite systems, broadcast television systems, or other suitable systems or combinations of such systems. User computer equipment 20 may be any suitable computer equipment that supports an interactive wagering application. For example, user
25 computer equipment 20 may be a personal computer. User computer equipment 20 may also be based on a mainframe computer, a workstation, a networked computer or computers, a laptop computer, a notebook computer, a handheld computing device such as a personal digital
30 assistant or other small portable computer, etc.

Each of television distribution facilities 18 is typically located at a different geographic

- 8 -

location. Users with user television equipment 22 may receive the television wagering service from an associated television distribution facility. User television equipment 22 may include, for example, a television or other suitable monitor. A television may be used to watch the television wagering service on a traditional analog television channel. User television equipment 22 may also include a digital or analog set-top box connected to a television distribution facility 18 by a cable path. A digital set-top box may be used to receive the television wagering service on a digital channel. If desired, user television equipment 22 may contain a satellite receiver, a WebTV box, a personal computer television (PC/TV), or hardware similar to such devices into which set-top box capabilities have been integrated. A recording device such as a videocassette recorder or digital recording device (e.g., a personal video recorder or digital video recorder based on hard disk drives or the like) may be used in user television equipment 22 to store videos. The recording device may be separate from or part of the other components of user television equipment 22.

User computer equipment 20 may receive the television wagering service using a video card or other video-capable equipment to receive analog or digital (e.g., moving picture experts group or MPEG) videos from a television distribution facility. User computer equipment 20 may also receive the television wagering service directly from video production system 14 using, for example, a modem link. If desired, the video for the television wagering service may be compressed (e.g., using MPEG techniques). This may be useful, for

- 9 -

example, if the path to user computer equipment 20 is a modem connection using telephone links. If video production system 14 is only used to serve user computer equipment 20 without traditional analog television capabilities, video production system 14 may only need to supply such digitally-compressed video signals and not analog television signals.

Video clips of races and other simulcast information may be provided to users in the form of a television wagering service or by an interactive wagering service provided by the interactive wagering application. If desired, race-related videos may be provided to the user by using video production system 14 or other suitable equipment to route appropriate video clips from the simulcasts to the user in real time. Video clips may also be stored for later viewing. For example, one or more video servers located at racetracks 12, video production system 14, television distribution facilities 18, or other suitable locations may be used to store video clips. The stored videos may then be played back in real time or downloaded for viewing at user television equipment 22, user computer equipment 20, or user telephone equipment 32. The video clips may contain videos of races, commentary, interviews with jockeys, or any other suitable race-related information. If desired, real-time or stored videos may be provided from racetracks 12 directly to user television equipment 22, user computer equipment 20, or user telephone equipment 32 over the Internet or other suitable communications paths without involving video production system 14. Videos may also be provided by routing video signals

- 10 -

through equipment located elsewhere in system 10. For example, videos may be routed through transaction processing and subscription management system 24.

Transaction processing and subscription management system 24 may contain computer equipment 26 and other equipment for supporting system functions such as transaction processing (e.g., handling tasks related to wagers, product purchasing, adjusting the amount of funds in user accounts based on the outcomes of wagers, video clip ordering, etc.), data distribution (e.g., for distributing racing data to the users), and subscriber management (e.g., features related to opening an account for a user, closing an account, allowing a user to add or withdraw funds from an account, changing the user's address or personal identification number, etc.). Databases within transaction processing and subscription management system 24 or associated with system 24 may be used to store racing data, wagering data and other transaction data, and subscriber data such as such as information on the user's current account balance, past wagering history, individual wager limits, personal identification number, billing addresses, credit card numbers, bank account numbers, social security numbers, etc. Using such databases may allow the user to access information more quickly and allows for central administration of the wagering service.

If desired, racing videos and other services may be provided using servers and other equipment located at transaction processing and subscription management system 24. For example, video clips may be provided to the user on-demand. Interactive

- 11 -

advertisements may be provided to the user. When the user selects a desired advertisement, transaction processing and subscription management system 24 may provide additional information or other services

5 related to the advertisement to the user.

Product ordering services may be implemented using computer equipment at transaction processing and subscriber management system 24 to handle orders and to assist in adjusting the appropriate account of the user
10 accordingly. Orders may be fulfilled using merchandise fulfillment facilities 34. Merchandise fulfillment facilities 34 may be operated solely to provide merchandise fulfillment or may be associated with
15 independently-operated mail-order or on-line businesses. Similar facilities may be used to allow users to order services.

Statistical racing data such as the post times for each race, jockey names, runner names and the number of races associated with each track,
20 handicapping information (e.g., information on past performances such as the number of wins and losses for the past year, etc.), and weather conditions at various tracks may be provided by racing data collection and processing system 28. Some of the data may be
25 collected from racetracks 12 and some may be provided by third party information sources such as Axcis Pocket Information Network, Inc. of Santa Clara, California or other suitable data sources.

Racing data may also be provided from
30 totalisators 30. Totalisators 30 are the computer systems that may be used to handle wagers made at the racetracks, made at off-track betting establishments,

- 12 -

and made using interactive wagering system 10.
Totalisators 30 generate wagering odds in real time.
Totalisators 30 generate these odds based on
information on which wagers are being placed (e.g.,
5 based on information on which wagers are being placed
on races at racetracks 12). Totalisators 30 are
available from companies such as Amtote International,
Inc. of Hunt Valley, Maryland. Totalisators 30 may be
associated with individual racetracks 12 or groups of
10 racetracks 12. Totalisators 30 may communicate with
one another using a communication protocol known as the
Intertote Track System Protocol (ITSP). This allows
totalisators 30 to share wagering pools. Totalisators
30 may provide racing data including information on the
15 current races at racetracks 12, the number of races
associated with each racetrack, win, place, and show
odds and pool totals for each horse or other runner,
and exacta, trifecta, and quinella payoff predictions
and pool totals for every possible combination of
20 runners. Totalisators 30 may also provide current odds
and other real-time racing data for other types of
wagers. Totalisators 30 may provide the time until
post time for each race.

Totalisators 30 may provide race results,
25 such as the order-of-finish list for at least the first
three positions and payoff values versus a standard
wager amount for win, place, and show, for each runner
in the finish list. Payoff values may be provided for
winning complex wager types such as exacta, trifecta,
30 quinella, pick-n (where n is the number of races
involved in the pick-n wager), and daily double. The

- 13 -

payoff values may be accompanied by a synopsis of the associated finish list.

Totalisators 30 may also provide program information of the type typically provided in printed racing programs. Such program information may include early odds, early scratches, race descriptions (including the distance of each race and the race surface - grass, dirt, artificial turf, etc.), allowed class ratings (based on a fixed ratio of external criteria), purse value (payoff to winning runner), allowed age range of runners, and the allowed number of wins and starts for each runner.

If desired, some of the information provided to transaction processing and subscription management system 24 by totalisators 30 (such as the program information or other suitable racing data) may be provided by racing data collection and processing system 28. Similarly, some of the information provided to transaction processing and subscription management system 24 by racing data collection and processing system 28 may be provided by totalisators 30. Moreover, the foregoing examples of different suitable types of racing data are merely illustrative. Any suitable data related to racing may be provided to transaction processing and subscription management system 24 if desired.

Transaction processing and subscription management system 24 provides the racing data to users at user television equipment 22, user computer equipment 20, and user telephone equipment 32 for use in following race results and developing wagers. If desired, racing data may be provided to users using

- 14 -

paths that do not directly involve transaction processing and subscription management system 24. For example, racing data may be provided from racing data collection and processing system 28 to user television
5 equipment 22, user computer equipment 20, or user telephone equipment 32 using the Internet or other suitable communications paths.

User telephone equipment 32 may be a conventional telephone, a cordless telephone, a
10 cellular telephone or other portable wireless telephone, or any other suitable telephone equipment. Users at user television equipment 22 and user computer equipment 20 may view information on the racing data on a television or other suitable monitor. Users at user
15 telephone equipment 32 may listen to racing data using an interactive voice system. User telephone equipment 32 may be based on cellular telephones with displays. Users may view racing data displayed on such displays.

Users who wish to place wagers may establish
20 an account at transaction processing and subscription management system 24. An account may also be established at one of totalisators 30. The user and the interactive wagering services may have their own bank accounts at financial institutions 38. A user may
25 set up an account electronically by using user television equipment 22, user computer equipment 20, or user telephone equipment 32 to interact with the subscriber management functions of transaction processing and subscription management system 24. If
30 desired, accounts may be established with the interactive wagering service with the assistance of customer service representatives at customer service

- 15 -

facility 36. Customer service facility 36 may be at the same location as transaction processing and subscription management system 24, may be part of system 24, or may be located remote from system 24.

- 5 Customer service representatives at customer service facility 36 may be reached by telephone. If user telephone equipment 32 is used to access the interactive wagering service, for example, user telephone equipment 32 may be used to reach the
- 10 customer service representative using communications path 42. If user television equipment 22 or user computer equipment 20 is being used with the service, a telephone at the same location as that equipment may be used to reach the customer service representative.
- 15 The user's identity may be checked using social security number information or other identification information with the assistance of subscriber verification facility 40. The services of subscriber verification facility 40 are used to ensure
- 20 that the user lives in a geographic area in which wagering is legal, that the user is of a legal age, and that the identification information (e.g., the user's social security number) matches the name provided by the user. If the user is using a cellular telephone or
- 25 handheld computing device, the user's present physical location may be determined by determining which general part of the cellular telephone network is being accessed by the user or by using the cellular network or a handset-based location device such as a global
- 30 positioning system (GPS) receiver in the body of the cellular telephone to pinpoint the user's location. This location information may be used to verify that

- 16 -

the user is located in a geographic area where wagering is legal.

In a typical enrollment process, the user provides personal information to the interactive
5 wagering service and provides funds with a credit card or funds from the user's bank account. The interactive wagering service sets up an account for the user at transaction processing and subscription management system 24 and directs one of totalisators 30 to set up
10 a new account for the user at the totalisator. The totalisator is also directed to credit the user's account to reflect the amount of funds provided by the user. After the user places a wager and wins or loses, the totalisator adjusts the user's totalisator account
15 to reflect the outcome of the wager. The totalisator may periodically inform the interactive wagering service of the adjusted balance in the user's account. This may be accomplished using any suitable technique (e.g., periodically, continuously, on-request, etc.).
20 For example, reports may be collected periodically (e.g., once a day in an end-of-day report) and provided to the interactive wagering service to reconcile the account balances at transaction processing and subscription management system 24 with the account
25 balances at totalisators 30.

If the user makes a balance inquiry, the inquiry may be passed to the appropriate totalisator by transaction processing and subscription management system 24. If the user is charged a fee for
30 subscribing to the service, the service may debit the fee from the user's account at the transaction processing and subscription management system 24.

- 17 -

The accounts at totalisators 30 and transaction processing and subscription management system 24 are typically maintained separately, because the business entities that operate totalisators 30 and transaction processing and subscription management system 24 are independent. If desired, financial functions related to opening and maintaining user accounts and the like may be handled using computer equipment at another location such as one of financial institutions 38 or other location remote from totalisators 30 and system 24. Such financial functions may also be implemented primarily at a totalisator 30 or primarily at the transaction processing and subscription management system 24 if desired.

Users at user television equipment 22, user computer equipment 20, and user telephone equipment 32 may place wagers by providing wagering data and otherwise interacting with transaction processing and subscription management system 24. The interactive wagering service may provide a user at user television equipment 22, user computer equipment 20, or user telephone equipment 32 that has display capabilities with screens containing various racing data. For example, the user may be presented with screens that allow the user to view the current odds for horses in an upcoming race at a given track.

The service may provide the user with interactive screens containing menus and selectable options that allow the user to specify the type of wager in which the user is interested and the desired wager amount. With a set-top box arrangement, for

- 18 -

example, the user may use a remote control or wireless keyboard to navigate the various menus and selectable options. With a personal computer, the user may use a keyboard, mouse, trackball, touch pad, or other
5 suitable input or pointing device. With a cellular telephone with a display, the user may use buttons on the telephone. When the user has made appropriate selections to define a desired wager, the user television equipment, user computer equipment, or user
10 telephone equipment may transmit wagering data for the wager to transaction processing and subscription management system 24.

Users with telephones may also interact with the service using an interactive voice response system
15 located at transaction processing and subscription management system 24. The interactive voice response system may present menu options to the user in the form of audio prompts (e.g., "press 1 to select a \$2 wager amount," etc.). The user may interact with the service
20 by pressing the corresponding buttons on a touch tone telephone. User telephone equipment 32 that is based on cellular telephones allows the user to interact with the wagering service in this way. User telephone equipment 32 that is based on cellular telephones with
25 messaging and display capabilities also allows the user to interact visually with the interactive wagering service.

The components of system 10 may be interconnected using various communications paths 44.
30 Communications paths 44 may include satellite paths, coaxial cable paths, fiber-optic paths, twisted pair paths, other wire or cable-based links, wireless paths

- 19 -

through free space, or any other suitable paths or combination of such paths. Communications over paths 44 may involve analog transmissions, digital transmissions, wireless transmissions, microwave transmissions, radio-frequency transmissions, optical transmissions, audio transmissions, or any other suitable type of transmissions or combination of such transmissions. Communications may involve Internet transmissions, private network transmissions, packet-based transmissions, television channel transmissions, transmissions in the vertical blanking interval of a television channel or on a television sideband, MPEG transmissions, etc. Communications may involve wireless pager or other messaging transmissions.

Communications paths 44 may include cable connected to cable modems, digital subscriber lines, integrated services digital network (ISDN) lines, or any other suitable paths. Examples of suitable communications paths are described below. Those examples are, however, merely illustrative. Any of the communications path arrangements described above or other suitable arrangements may be used if desired.

Communications paths that carry video and particularly uncompressed analog video or lightly-compressed or full-screen digital video generally use more bandwidth than communications paths that carry only data or that carry partial-screen digital video. For example, if it is desired to transmit high-quality simulcasts of races from racetracks 12 to video production system 14, analog or digital videos may be transmitted from racetracks 12 to video production system 14 over path 44a using satellite links. Video

- 20 -

may be transmitted from studio 16 to video production system 14 over path 44b using a satellite link or a high-speed terrestrial path such as a fiber-optic path. Studio 16 may also be located at the same site as video
5 production system 14, thereby avoiding the need for a long-haul transmission path. Videos may be transmitted from video production system 14 to user computer equipment 20 over path 14c using a modem link (using, for example, a digital subscriber line, a telephone
10 network link, a wireless link etc.) The modem link may be made over a private network.

A user with a cable modem may connect a personal computer or other such user computer equipment 20 to an associated cable system headend using path
15 44d. (The headend in such an arrangement would be one of the television distribution facilities 18 shown in FIG. 1.) The user may then receive videos from the headend via cable modem. Videos may be provided to the headend over path 44e using a network link, fiber optic
20 links, cable links, microwave links, satellite links, etc. A user with a set-top box or similar device (shown in FIG. 1 as user television equipment 22) may also receive videos from a cable system headend using a cable modem or other such communications device over
25 path 44f. In addition, a user with user television equipment may receive videos over the Internet or a private network using a telephone-based modem or other such communications device using path 44g. In a system with distributed processing, interactive wagering
30 services may be provided using a television distribution facility 18 that includes equipment that supplements or replaces at least some of the equipment

- 21 -

at transaction processing and subscription management system 24.

If desired, user television equipment 22 or user computer equipment 20 may receive analog or
5 digital videos from an associated television distribution facility over the communications paths normally used to distribute television programming (e.g., paths 44f and 44d). For example, videos may be received as part of a dedicated interactive wagering
10 service television channel. If videos are provided as digital signals (e.g., MPEG signals), 10 or more digital videos may be carried on a single analog channel (or one digital video may be carried on one-tenth of the bandwidth of an analog channel). If the
15 videos are not full-screen videos, even more videos may be simultaneously provided without a loss of image quality.

Racing videos may be provided to user telephone equipment 32 over a partially-wireless
20 telephone Internet link or other telephone link using path 44n.

If desired, racing data may accompany the racing videos along any of these paths. Moreover, racing videos may be provided by routing them directly
25 from racetracks 12 to user television equipment 22, user computer equipment 20 (e.g., over the Internet or a private network, etc.), or user telephone equipment 32. Racing videos may also be provided by routing them through transaction processing and subscription
30 management system 24. If a cellular telephone or portable computing device has sufficient display capabilities to support moving images, racing videos

- 22 -

may be displayed. Such videos may be provided using any suitable path, such as a direct path from racetracks 12, a path through video production system 14 or other suitable video processing equipment, 5 through a hub such as transaction processing and subscription management system 24, etc. Racing videos may be provided in real time or may be recorded for later distribution. Videos that are not provided in real-time may be downloaded by user television 10 equipment 22, user computer equipment 20, a cellular telephone, or other suitable user equipment at a lower data rate than would otherwise be required and may be downloaded in the background if desired. Such videos may also be provided to the user at real-time video 15 rates for direct viewing by the user.

Racing data and other information related to the interactive wagering service may be provided to users over paths connected to transaction processing and subscription management system 24. For example, 20 racing data and other data for the service may be provided to user computer equipment 20 over path 44h using a modem link. Path 44h may be a private network path or an Internet path. Path 44h may use telephone lines, digital subscriber lines, ISDN lines, wireless 25 data paths, or any other suitable type of communications links. User television equipment 22 may receive data for the wagering service over communications path 44i, which may be a telephone line, digital subscriber line, ISDN line, or other suitable 30 type of communications path and which may use a private network path or an Internet path, etc.

- 23 -

Data for the wagering service may be provided to users of the interactive wagering application via communications path 44j and paths 44f and 44d. Communications path 44j may be provided over a private
5 network, using the public telephone network, using satellite links, or any other suitable type of links. Data from paths such as path 44j may be routed to paths such as paths 44f and 44d directly by associated television distribution facilities 18, or may be
10 buffered at television distribution facilities 18 if desired. Paths 44f and 44d may include coaxial cable and use of paths 44f and 44d may involve the use of cable modems or the like. If data is provided over path 44j and path 44f or path 44d using an Internet
15 protocol, a web browser or similar software running on user television equipment 22 or user computer equipment 20 may be used to access the data. Such software may be integrated into the interactive wagering application or may be used separately. Software may also be used
20 to view videos and may be used on other platforms (e.g., advanced cellular telephones) if desired.

The communications paths 44k that are used to connect various other components of the system typically do not carry high-bandwidth video signals.
25 Accordingly, paths 44k may be telephone-like paths that are part of the Internet or a private network. Such paths and various other paths 44 may be dedicated connections for security, reliability, and economy.

User telephone equipment 32 may receive
30 information for the wagering service via path 44m. If user telephone equipment 32 is a standard (non-cellular) telephone, such information may be in the

- 24 -

form of audio prompts ("press 1 to place a wager") and audio racing data ("the current win odds for horse 2 are 5-1"). Transaction data processing and subscription management system 24 may contain

- 5 interactive voice response equipment that provides such information to the user and that responds to touch-tone signals from the user when the user responds to prompts by pressing buttons on the user's telephone.

- 10 If user telephone equipment 32 is a cellular telephone, racing data and other information for the interactive wagering service may be provided to the user by using a cellular wireless connection as part of path 44m. Users with cellular telephones may be provided with audio prompts using an interactive voice
15 response system located at transaction processing and subscription management system 24 to which the users may respond by pressing cellular telephone buttons to generate touch-tone signals.

- 20 Racing data and other information for the interactive wagering service may be provided to cellular telephones in the form of alphanumeric messages. Such messages may be transmitted to the user by using paging or other alphanumeric messaging formats or any other suitable data communications scheme. If
25 desired, data may be provided to the cellular telephones over the voice channel and decoded by the cellular telephone using modem circuitry or other suitable circuitry. Data may also be provided using any other suitable cellular or wireless path.
- 30 Regardless of the way in which racing data and other information for the interactive wagering service are provided to the cellular telephone, such information

- 25 -

may be provided to the user by displaying it on the cellular telephone display screen or by presenting it in audible form through the speaker of the cellular telephone.

5 Racing data and other interactive wagering service information for the users may be provided in one or more continuous data streams, may be provided periodically (e.g., once per hour or once per day), or
10 may be provided using a client-server arrangement in which data is requested by a client processor (e.g., user television equipment 22, user computer equipment 20, user telephone equipment 32, or any other such equipment) from a server (e.g., a server implemented
15 using computer equipment 26 at transaction processing and subscription management system 24 or computer equipment at another suitable location). Videos may also be provided using any of these techniques.

 A return communications path between the user and the interactive wagering service may be used to
20 allow the user to place wagers and otherwise interact with the interactive wagering service. For example, a user with a standard telephone or a cellular telephone may interact with the service by pressing touch-tone
25 keys on the telephone in response to audio prompts provided by an interactive voice response system at transaction processing and subscription management
30 system 24. If desired, users may call customer service representatives at customer service facility 36 and place wagers with manual assistance. The user of a
cellular telephone may interact with the wagering service by selecting menu options and otherwise interacting with information displayed on the cellular

- 26 -

telephone. When a selection is made, software implemented on the telephone may be used to assist the user in transmitting appropriate data (e.g., wagering data) to the wagering service. Such data may be

5 transmitted using any suitable technique. For example, data may be transmitted using a wireless data link that is separate from the cellular voice channels. Data may also be transmitted over the voice channel (e.g., using a modem built into the cellular telephone, by

10 automatically generating touch-tone signals that may be recognized by the interactive voice response system at transaction processing and subscription management system 24, or using any other suitable arrangement). These approaches may be used even if the user receives

15 racing data and other information for the service using a platform other than a telephone-based platform.

Users with user television equipment 22 may interact with the service by sending data (e.g., wager data) to transaction processing and subscription

20 management system 24 using path 44i or using paths 44f and 44j. Users with user computer equipment 20 may send data (e.g., wager data) to transaction processing and subscription management system 24 via path 44h or paths 44d and 44j. Users at any user equipment may

25 send data for the service to locations other than transaction processing and subscription management system 24. For example, the user may provide information directly to customer service facility 36, etc.

30 If desired, the user may send data to the service at transaction processing and subscription management system 24 using different paths than those

- 27 -

used to receive data from transaction processing and subscription management system 24. For example, racing data may be received at user television equipment 22 via paths 44j and 44f, whereas data may be sent by the user from user television equipment 22 to transaction processing and subscription management system 24 using path 44i, etc. Moreover, the paths used to receive certain video information may be different from those used to receive racing data. For example, user television equipment 22 may receive racing videos using path 44f, but may receive racing data using path 44i. These examples are merely illustrative. Any suitable combination of paths may be used to distribute racing data and other information for the interactive wagering service, any suitable combination of paths may be used to receive videos, and any suitable combination of paths may be used to send data to the wagering service.

If desired, the user may interact with the wagering service using more than one platform. For example, the user may place a wager using a cellular telephone while the user is driving home. When the user arrives home, the user may determine the outcome of the wager by watching a video of the race on user television equipment. Later in the day, the user may check the user's account balance using a personal computer. This is merely an illustrative example. The various wagering platforms may be used in any suitable combination.

Although system 10 has been described in the context of a system that supports multiple wagering platforms, system 10 may support fewer platforms if desired. For example, aspects of the invention may be

- 28 -

implemented using a system 10 that only supports cellular telephone wagering or wagering using handheld computer devices. If desired, system 10 may be configured so that it does not support personal
5 computer wagering, wagering with standard telephones, or wagering with user television equipment. The system may support cellular telephones and/or handheld computing devices such as personal digital assistants, palm-sized computers, etc. in combination with any
10 other suitable platform.

The criteria wagering features of the present invention are described herein primarily in the context of an interactive wagering application implemented on user television equipment such as a set-top box. This
15 is only illustrative. An interactive wagering application implemented on any suitable platform (user computer equipment, user telephone equipment, etc.) may be used to provide such features if desired.

The interactive wagering application may be
20 implemented using application software that runs primarily on a set-top box or other such local platform or using a remote server or other computer that is accessed from a local platform. Arrangements in which interactive wagering services are implemented using
25 software on remote computers that is accessed on-demand from local platforms may be referred to as client-server arrangements. Such client-server arrangements may be used to allow client processes on set-top boxes to access server processes running on servers located
30 at cable system headends or other television distribution facilities 18 (FIG. 1). Regardless of the type of system architecture or platform used, the

- 29 -

software that supports the interactive wagering service features described herein may be referred to as an interactive wagering application.

An illustrative display screen that may be provided by the interactive wagering application is shown in FIG. 2. Screens such as screen 46 of FIG. 2 may be accessed in a variety of ways. A user may initially be provided with an opportunity to launch the interactive wagering application. The system may allow the user to launch the application by pressing a menu option in an interactive television program guide or other set-top box application or menu. If desired, the application may be launched automatically whenever the user tunes to a particular channel (e.g., the television wagering channel). After the user has tuned to this channel, the system may display an interactive icon on the user's television screen that indicates that the interactive wagering application is available. If the user presses an "OK" remote control key, the system may launch the application.

The first screen displayed by the interactive wagering application when it is launched may be a pop-up menu that is displayed on top of the video for the television wagering channel. The menu may contain menu options that allow the user to inform the application that the user wishes to configure the system, to place a wager, etc. The user may select a set-up option from such a menu that causes the application to display a screen such as screen 46 of FIG. 2.

Screen 46 of FIG. 2 may contain selectable tab options such as tab option 48 (for setting options), tab option 50 (for setting automatic wagering

- 30 -

options), and tab option 52 (for setting wagering criteria). When an option such as one of options 48, 50, or 52 is selected, the tab for that option may be displayed on top of the other tabs and the

- 5 corresponding options associated with that tab are displayed in option region 54.

The options displayed in region 53 of screen 46 provide the user with an opportunity to select which criteria the user would like the application to use to
10 trigger an action in the application when the application identifies a wagering opportunity that satisfies the criteria. Actions that may be taken by the application when the selected criteria are met include issuing a reminder, automatically placing a
15 wager, etc. If desired, the user may select multiple actions to be taken when the criteria are satisfied.

Suitable criteria that may be used to trigger actions include the particular track at which a race is to be run (e.g., Churchill Downs), a particular horse,
20 Jockey, or Trainer. Other suitable criteria include the surface for a race (e.g., turf), the distance of a race, or various race statistics. Criteria may also include the colors of a jockey's silks. If desired, criteria may include odds-based criteria. For example,
25 a criteria may be whether the current odds for a horse have changed from the morning line odds for that horse by more than a certain amount, etc. These criteria are merely illustrative. Any suitable criteria may be used if desired.

30 The wagering application may determine when the selected criteria have been satisfied by comparing the wagering criteria to the racing data provided to

- 31 -

the application. The racing data may be provided by transaction processing and subscription management system 24 or may be otherwise accessed by the wagering application (e.g., by directly accessing the data in communications with totalizators 30, racing data collection and processing system 28, or other such equipment).

In the example of FIG. 2, the user has used highlight region 54 to select the criteria "horse," "surface," and "distance." These criteria may be highlighted (as indicated by the letter "H" on each of the selected criteria) by, for example, displaying them in a different color (for example, yellow) then the remaining criteria (which may be displayed, for example, in blue). As shown in FIG. 3, the interactive wagering application may then display a screen such as screen 56 in which the user is provided with an opportunity to fill in the entries for the criteria categories selected in screen 46 of FIG. 2. For example, action option 58 may be provided to allow the user to select which action is to be taken when the wager criteria are met. The user may navigate through the entries for option 58 by pressing right and left remote control arrows. The availability of additional entries for the option may be indicated with arrows 60. A highlight region 62 may be used to select desired options.

Suitable actions that may be taken when the wager criteria are met include displaying a reminder (prompt), alerting the user with an audible reminder, sending a reminder to the user as e-mail, a paging message, a telephone call, etc. E-mail messages may be

- 32 -

distributed to users at user computer equipment 20 (FIG. 1), user television equipment 22, a cellular telephone with e-mail capabilities, a handheld computing device or other small portable device with e-mail capabilities, etc. Paging and telephone calls may be handled similarly. Wagers may be placed automatically when the criteria are satisfied. If desired, the user may be notified when a wager is automatically placed. For example, the user may select an option that directs the system to send an e-mail message is sent to the user whenever the system automatically places a wager based on the criteria selected by the user.

Selecting wagering criteria for certain options such as horse option 64 may involve lists of criteria with entries that are too numerous to easily accommodate with a right/left arrow interface such as used in connection with option 58. Such options may use ancillary screens or other features to assist the user in selecting desired wagering criteria. For example, the number of horses from which a user may select a desired horse or horses to establish as wagering criteria may be too large to list on a single screen. The system may therefore provide a search interface such as the search interface shown in screen 66 of FIG. 4 whenever the user selects an option such as option 64 of FIG. 3.

As shown in FIG. 4, the arrangement of screen 66 provides the user with an opportunity to search for a desired horse by entering at least part of the horse's name. Within any given cell, up and down remote control arrow keys may be used to select a

- 33 -

desired letter. Right and left arrow keys may be used to move between cells. Highlight region 70 indicates the user's current position. A list of horse names matching the letters entered by the user may be

5 displayed in region 72. The horse names may be displayed in real time as the user enters letters in the cells or may be displayed after the user initiates a search by entering letters in cells 68 and pressing a remote control OK key.

10 The arrangement of FIG. 4 is merely illustrative. Any other suitable user interface may be used for character-based searching. For example, an on-screen keyboard may be used in which the letters of the alphabet are displayed in a roughly rectangular
15 grid from which the user may select desired characters using a movable highlight region.

When the user presses the OK key after selecting desired characters using an arrangement such as the arrangement of FIG. 4, a display screen such as
20 display screen 74 of FIG. 5 may be provided. In display screen 74, highlight region 76 is positioned on top of a horse name that matches the characters selected by the user. The user may scroll up or down through the displayed horse names as indicated by
25 arrows 78. When the user locates a desired horse name, the user may press a remote control OK key to select that horse for horse option 64 of FIG. 3. An illustrative screen on which a horse name has been selected is shown in FIG. 6.

30 Different user interfaces may be provided to assist the user in selecting different types of wagering criteria. Some criteria, such as the action

- 34 -

criteria, may be best selected using an approach in which right and left arrow keys are used to display different possible entries. Other criteria, such as horse names, jockey names, tracks, etc., may be
5 sufficiently extensive that they are best selected using a search feature or other assisted-selection arrangement.

Other criteria may be best selected using still different approaches. For example, when the user
10 desires to select a desired distance criteria using distance option 80 of FIG. 3, the system may display a separate screen in which the available distances are arranged in two columns. The user may select the desired distance using a highlight region. This type
15 of approach may be used whenever it is desired to provide more visual information for the user than the simple right/left arrow key approach in which the user selects from criteria that are displayed on the same line as the option.

20 These different approaches for selecting wagering criteria are merely illustrative. Any suitable approaches or combinations of such approaches may be used if desired. Such approaches may allow the user to select a single criteria or multiple criteria.
25 Criteria may be combined using any suitable user-selected or default logic. For example, the default provided by the interactive wagering application may be that all criteria must be satisfied before a given action is taken (i.e., AND logic). As an alternative,
30 or in combination with AND logic, OR logic or other suitable logic functions (including NOT functions and non-boolean, weighted logic functions) may be used.

- 35 -

If the user desires to have the wagering application automatically place wagers when the user's selected criteria are matched, the user may select an "auto" setting with action option 58, as shown in FIG.

- 5 6. If the selected action is that the system is to automatically place a wager, the user may be provided with an opportunity to select a wager type (using an option such as option 84) and a wager amount (using an option such as option 86). The criteria that are used
10 to trigger the automatic wager may be set using options such as option 64 (used to select a desired horse), option 82 (used to select a desired track surface), and option 80 (used to select a desired race distance).

- Limits may be established on the amount of
15 wagers that may be placed using the automatic criteria wagering feature. For example, the wagering application may set default monetary limits of \$500.00 in total wagers, \$700.00 in losses, or \$1000.00 in winnings. Limits may be set in dollar amounts or may
20 be based on the number of wagers placed. The wagering application may set different limits for different users or types of user. Users may also set wagering limits. When the wagering application senses that a limit is about to be exceeded, the user may be notified
25 and provided with an opportunity to authorize further automatic wagering.

- An expiration time may be set for automatic wagers. For example, the application or the user may establish a two-week time limit for wagers. No wagers
30 will be placed automatically after two weeks without further authorization. Any suitable time period may be used as a default or user-selected expiration time.

- 36 -

If desired, the wagering application may provide the user with an opportunity to define a time window during which a particular set of wager criteria are valid. For example, the application may allow the user to make wager criteria valid only on Saturdays and Sundays between the hours of 1:00 PM to 4:00 PM. The time window may involve multiple days of the week and multiple time windows during each day.

In the example of FIG. 6, the user has selected the wager type "WIN" and the wager amount "\$5." When the user presses the OK remote control key, the wagering application may provide the user with a summary of the conditions that have been established for criteria wagering, as shown in FIG. 7. The rows of screen 88 of FIG. 7, each contain information on a different set of automatic wagering criteria. For example, row 90 provides a summary of one set of criteria that have been established (i.e., a particular horse, a particular surface, and a particular distance) that when satisfied result in the automatic placing of a \$5 win wager. Row 92 provides a summary of another set of wagering criteria. When the criteria of row 92 have been satisfied, the wagering application may automatically place a \$10 win wager.

Screen 88 may contain options such as new option 94 (to create a new set of wagering criteria), delete option 96 (to delete one of the rows of wagering criteria), and view option 98 (to view additional information on a set of wagering criteria). The user may select one of these options using movable highlight region 100. If the user selects delete option 96 or view option 98, the wagering application may place a

- 37 -

movable highlight region on top of one of the rows in FIG. 7. The user may use the highlight region to select a desired row to delete or to select a desired row for which it is desired to view additional

5 information.

As shown in FIG. 8, if the user selects view option 98 of FIG. 7, the wagering application may provide a display screen such as screen 102 in which the view option is highlighted (as indicated by the
10 "H") by, e.g., being displayed in a color such as yellow that is different than the color in which the remaining options are displayed (e.g., blue). Highlight region 104 of FIG. 8 may be used to select a row. A screen such as screen 106 of FIG. 9 may be
15 displayed when the user selects one of the rows in screen 102 of FIG. 8. In screen 106 of FIG. 9, a wagering criteria details region 108 is displayed as an overlay on top of the contents of screen 102 of FIG. 8. Wagering criteria details region 108 may contain more
20 detailed information on the wagering criteria, the wager type, and the wager amount that are associated with the row that was selected in screen 102 of FIG. 8. Wagering criteria details region 108 may contain, for example, information on the name of the horse that was
25 selected and the type of surface. If desired, the information displayed in region 110 of wagering criteria region 108 may be scrolled (e.g., using up and down arrow keys). The user may cancel the presentation of the wagering criteria details region 108 (the
30 overlay) by pressing the OK remote control key.

Region 112 of screen 106 of FIG. 9 (and other screens such as the screens of FIGS. 2-8) may be used

- 38 -

to display racing-related information. For example, region 112 may be used to display information on the scheduled race times for the first race at various tracks. A region such as region 112 may also be used
5 to display a "ticket" that includes information on the wagering criteria that the user has selected for criteria-based wagering (i.e., automatic wagering, wager notifications, and the like). If desired, region 112 may be used to display advertisements or to provide
10 other services (e.g., information services, services related to ordering products or services, etc.).

Illustrative steps involved in using system 10 (FIG. 1) to provide an interactive wagering service with criteria wagering capabilities are shown in FIG.
15 10. At step 114, the wagering application may provide the user with an opportunity to select wagering criteria. For example, the wagering application may provide on-screen options that allow the user to select desired wagering criteria from various lists or groups
20 of criteria. Search capabilities may be provided to facilitate the searching for criteria of interest when there are many possible selections to be made (e.g., when selecting a desired horse name, jockey name, racetrack, etc.). Criteria may also be selected using
25 other suitable input interfaces such as voice recognition systems, interactive voice response systems, interfaces using pointing devices such as trackballs, mice, touch pads, etc. Any other suitable arrangement or a combination of these arrangements may
30 be used if desired.

The wagering criteria that may be selected may be any suitable racing-related characteristics,

- 39 -

such as horse name, racetrack surface, jockey name, trainer name, racetrack surface, racetrack distance, statistics, silks (i.e., the colors worn by the jockey for a particular horse), etc. These are merely
5 illustrative examples, any suitable type of race-related or wagering-related information may be used as wagering criteria if desired.

After the user has selected certain wagering criteria at step 114, the wagering application may
10 provide the user with an opportunity at step 116 to direct the application to place wagers automatically, to notify the user when the criteria have been satisfied, to both place a wager and notify the user, or to perform any other suitable action or combination
15 of such actions. Automatic wagers may be placed using transaction processing and subscription management system 24 (FIG. 1). Confirmations may be provided for each wager. For example, an e-mail message or the like may be provided to the user. The e-mail message may
20 contain information on the placed wager such as the horse, racetrack, jockey, wager type, wager amount, etc.

The user may be notified when the criteria are satisfied using an on-screen prompt (e.g., a pop-up
25 overlay that is displayed over a television program that the user is watching or other information that is currently being displayed). The user may also be notified when the criteria are satisfied by alerting the user with an audible reminder. The user may be
30 notified by sending a reminder to the user as e-mail, a paging message, or other suitable electronic message. Transaction processing and subscription management

- 40 -

system 24 may notify the user that the criteria have been satisfied by placing a telephone call to the user. Notifications may be distributed to users at user computer equipment 20 (FIG. 1), user television equipment 22, or user telephone equipment 32. For example, e-mail notifications may be provided to users with a cellular telephone with e-mail capabilities, a handheld computing device or other small portable device with e-mail capabilities, etc. Paging messages and telephone calls may be handled similarly.

If desired, notifications may be provided to users with a different platform than the platform that is used to establish the wagering criteria. For example, the user may provide the wagering application with the wagering criteria by pressing touch tone telephone buttons in response to audible prompts from interactive voice response equipment at transaction processing and subscription management system 24 (FIG. 1). The user may be notified when the criteria have been satisfied using an e-mail message to the user's personal computer at work or an electronic message sent to the user's handheld computing device. These are merely illustrative examples of suitable arrangements for notifying the user when the wagering criteria have been satisfied. Any suitable notification arrangement may be used. If desired, when certain wagering criteria are satisfied the wagering application may both place an automatic wager and notify the user.

If the action selected at step 116 is an automatic wager, the wagering application may provide the user with an opportunity to specify a desired wager type and desired wager amount at step 118.

- 41 -

The selected action may be taken at step 120. For example, a wager may be automatically placed, the user may be notified that a wagering opportunity has arisen that satisfies the selected wagering criteria, etc. Certain notifications may be made using software (e.g., software that is part of the wagering application) that is running at least partially on the user's local system (e.g., user television equipment 22, user computer equipment 20, or user telephone equipment 32). For example, a pop-up menu or audible alert may be automatically generated at the user's location when the wagering application detects that the user's wagering criteria have been satisfied. Other notifications may be made using software that is running remotely. For example, e-mail notifications, paging notifications, and telephone call notifications may be generated at transaction processing and subscription management system 24 or other suitable remote facility. If desired, a combination of local and remote techniques may be used to provide notification and automatic wagering functions.

The foregoing is merely illustrative of the principles of this invention and various modifications can be made by those skilled in the art without departing from the scope and spirit of the invention.

- 42 -

What Is Claimed is:

1. A method for interactive wagering with an interactive wagering application implemented using user equipment, comprising:
 - allowing a user at the user equipment to use the interactive wagering application to select desired wagering criteria;
 - using the interactive wagering application to determine whether a desired wagering opportunity exists by determining whether the wagering criteria are satisfied; and
 - using the interactive wagering application to automatically take a particular action whenever the wagering criteria are satisfied.
2. The method defined in claim 1 further comprising using the interactive wagering application to provide the user with an opportunity to select which particular action is taken whenever the wagering criteria are satisfied.
3. The method defined in claim 1 wherein the interactive wagering application is implemented using user television equipment, the method further comprising using the interactive wagering application implemented on the user television equipment to determine whether the wagering criteria are satisfied.
4. The method defined in claim 1 further comprising using the interactive wagering application to provide the user with an opportunity to select a particular racetrack as one of the wagering criteria.

- 43 -

5. The method defined in claim 1 further comprising using the interactive wagering application to provide the user with an opportunity to select a particular horse as one of the wagering criteria.

6. The method defined in claim 1 further comprising using the interactive wagering application to provide the user with an opportunity to select a particular horse as one of the wagering criteria by searching for a desired horse with an on-screen user interface that allows the user to enter a search character string with a remote control.

7. The method defined in claim 1 further comprising using the interactive wagering application to provide the user with an opportunity to select a particular jockey as one of the wagering criteria.

8. The method defined in claim 1 further comprising using the interactive wagering application to provide the user with an opportunity to select a particular trainer as one of the wagering criteria.

9. The method defined in claim 1 further comprising using the interactive wagering application to provide the user with an opportunity to select a particular track surface as one of the wagering criteria.

10. The method defined in claim 1 further comprising using the interactive wagering application to provide the user with an opportunity to select a

- 44 -

particular race distance as one of the wagering criteria.

11. The method defined in claim 1 further comprising using the interactive wagering application to provide the user with an opportunity to select a particular racing statistic as one of the wagering criteria.

12. The method defined in claim 1 further comprising using the interactive wagering application to provide the user with an opportunity to select a particular silk color as one of the wagering criteria.

13. The method defined in claim 1 further comprising using the interactive wagering application to provide the user with an opportunity to select a particular amount by which the odds for a horse change from that horse's morning line odds as one of the wagering criteria.

14. The method defined in claim 1 further comprising providing the user with an opportunity to select whether the action taken involves the automatic placing of a wager whenever the wagering criteria are satisfied.

15. The method defined in claim 1 wherein the action taken involves the automatic placing of a wager whenever the wagering criteria are satisfied, the method further comprising providing the user with an opportunity to select a wager amount and wager type

- 45 -

associated with the wagering criteria prior to the automatic placing of the wager.

16. The method defined in claim 1 wherein there are multiple sets of wagering criteria established by the user each with an associated action to be taken when that set of wagering criteria is satisfied, the method further comprising providing the user with an opportunity to select a different wager amount and wager type for each of the multiple sets of wagering criteria.

17. The method defined in claim 1 further comprising providing different user interfaces with the wagering application for selecting different types of wagering criteria.

18. The method defined in claim 1 further comprising providing the user with an opportunity to select whether the action taken involves notification of the user.

19. The method defined in claim 1 wherein the action taken involves notification of the user at a set-top box connected to a television, the method further comprising notifying the user by displaying a partial-screen overlay message on top of a screen currently being displayed on the television.

20. The method defined in claim 1 wherein the action taken involves notification of the user, the method further comprising notifying the user that the

- 46 -

wagering criteria have been satisfied using an e-mail message.

21. The method defined in claim 1 wherein the action taken involves notification of the user, the method further comprising notifying the user that the wagering criteria have been satisfied using a wireless message.

22. The method defined in claim 1 wherein the action taken involves notification of the user at a set-top box connected to a television, the method further comprising notifying the user that the wagering criteria have been satisfied by displaying a message on the television.

23. The method defined in claim 1 further comprising using the wagering application to provide a display screen containing a summary of which types of wagering criteria have been established.

24. The method defined in claim 1 further comprising using the wagering application to provide a display screen containing a summary of which types of wagering criteria have been established, wherein the summary includes information on wager amounts and wager types that the user has established for use whenever various sets of wagering criteria are satisfied.

25. The method defined in claim 1 further comprising:

- 47 -

using the wagering application to provide a display screen containing a summary of which types of wagering criteria have been established, wherein the summary includes information on wager amounts and wager types that the user has established for use whenever various sets of wagering criteria are satisfied; and

displaying wagering criteria details for a given one of the sets of wagering criteria when the user selects that set from the summary.

26. The method defined in claim 1 further comprising using the wagering application to limit automatic wagering based on monetary wagering limits.

27. The method defined in claim 1 further comprising:

providing the user with an opportunity to select a desired monetary wagering limit; and
using the wagering application to limit automatic wagering based on the monetary wagering limit.

28. The method defined in claim 1 further comprising using the wagering application to provide the user with an opportunity to select an expiration time for automatic wagering.

29. A method for interactive wagering on horse races with an interactive wagering application implemented using a set-top box connected to a television, comprising:

- 48 -

providing a user with an opportunity to select a given horse using the interactive wagering application; and

automatically placing a wager for the given horse when it is determined that the given horse is to run in a particular race.

30. The method defined in claim 29 further comprising providing the user with an opportunity to select the amount of the wager and the wager type with the interactive wagering application.

31. The method defined in claim 29 further comprising:

providing the user with an opportunity to select multiple horses using the wagering application; and

automatically placing wagers for each horse when it is determined that the horse is to run in a particular race.

32. An interactive wagering system in which an interactive wagering application is used to provide a user with an opportunity to place wagers on races to be run, comprising:

user television equipment configured to:

provide the user with an opportunity to select a given horse using the interactive wagering application; and

automatically place a wager for the given horse when it is determined that the given horse is to run in a particular race; and

- 49 -

a transaction processing and subscription management system that handles the automatically placed wager.

33. The interactive wagering system defined in claim 32 further comprising user computer equipment separate from the user television equipment, wherein the interactive wagering application notifies the user at the user computer equipment by e-mail when the automatic wager has been placed.

1/10





FIG. 1

FIG. 2



TVG

DATE

APRIL 14

TRACK 1ST RACE

AQU	11:00A
GUL	11:30A
LSP	11:30A
CAL	12:30P
CHD	1:00P
TUR	1:30P
BMP	1:30P
TPD	2:00P

* PLAYERS CHOICE

46

SETUP

12:04P

52

53

48

OPTIONS

50

AUTO BET
OPTIONS

BET
CRITERIA

PRESS OK TO SELECT CRITERIA OPTIONS

TRACK	STATS
HORSE H	SILKS
JOCKEY	
TRAINER	
SURFACE H	
DISTANCE H	

54

NEXT

3/10

56

SETUP

12:04P

HELP
INFO
MENU

AUTO BET
OPTIONS

BET
CRITERIA

AUTO BET
LIST

TMG

DATE
APRIL 14

TRACK	1ST RACE
AQU	11:00A
GUL	11:30A
LSP	11:30A
CAL	12:30P
CHD	1:00P
TUR	1:30P
BMP	1:30P
TPD	2:00P

* PLAYERS CHOICE

PRESS <|> TO MAKE A SELECTION.

ACTION 58 60

HORSE 60 62 64

SURFACE

DISTANCE 80

BET TYPE


AMOUNT


PRESS OK WHEN FINISHED.

FIG. 3

4/10

FIG. 4





TVG

DATE


APRIL 14

TRACK 1ST RACE

AQU	11:00A
GUL	11:30A
LSP	11:30A
CAL	12:30P
CHD	1:00P
TUR	1:30P
BMP	1:30P
TPD	2:00P

***PLAYERS CHOICE**

SETUP



12:04P

HELP

INFO

MEND


AUTO BET
OPTIONS

SEARCH

AUTO BET
LIST

PRESS OK TO SELECT HORSE

78




S

E

A

76




SEAN'S DREAM


SEATTLE SLEW

SENECA


78



76



6/10



TVG

DATE

APRIL 14

TRACK 1ST RACE

AQU	11:00A
GUL	11:30A
LSP	11:30A
CAL	12:30P
CHD	1:00P
TUR	1:30P
BMP	1:30P
TPD	2:00P

*** PLAYERS CHOICE**

SETUP

12:04P

HELP
INFO
MENU

AUTO BET LIST

AUTO BET OPTIONS


BET CRITERIA

PRESS <1> TO MAKE A SELECTION.

ACTION	AUTO	58
HORSE	SEATTLE SLEW	64
SURFACE	TURF	82
DISTANCE	1 MILE	80
BET TYPE	WIN	84
AMOUNT	\$5	86

PRESS OK WHEN FINISHED.

FIG. 6



DATE

APRIL 14

TRACK

1ST RACE

AQU	11:00A
GUL	11:30A
LSP	11:30A
CAL	12:30P
CHD	1:00P
TUR	1:30P
BMP	1:30P
TPD	2:00P

* PLAYERS CHOICE

SETUP

88

12:04P

HELP

INFO

MENU

AUTO BET OPTIONS

BET CRITERIA

AUTO BET LIST

94 →

96 →

98 →

100 →

PRESS OK TO VIEW AUTO BET

NEW

DEL

VIEW


BET TYPE	AMT	TRK	HORSE	JCKY	TRNR	SURF	DIST	STATS	SLKS
WIN	\$5		X			X		X	
WIN	\$10		X			X			

90 →

92 →

8/10

FIG. 8



SETUP

102

12:04P

HELP

INFO

MENU

AUTO BET OPTIONS

BET CRITERIA

AUTO BET LIST

NEW

DEL

VIEW H

PRESS OK TO VIEW AUTO BET

BET TYPE	AMT	TRK	HORSE	JCKY	TRNR	SURF	DIST	STATS	SLKS
WIN	\$5		X			X		X	
WIN	\$10		X			X			

DATE


APRIL 14

TRACK	1ST RACE
AQU	11:00A
GUL	11:30A
LSP	11:30A
CAL	12:30P
CHD	1:00P
TUR	1:30P
BMP	1:30P
TPD	2:00P

* PLAYERS CHOICE

9/10

FIG. 9



DATE

APRIL 14

1ST RACE

TRACK	TIME
AQU	11:00A
GUL	11:30A
LSP	11:30A
CAL	12:30P
CHD	1:00P
TUR	1:30P
BMP	1:30P
TPD	2:00P

* PLAYERS CHOICE

106

SETUP

12:04P

HELP

INFO

MENU

AUTO BET
OPTIONS

BET
CRITERIA

AUTO BET
LIST

PRESS OK TO VIEW AUTO BET

NEW

DEL

VIEW

BET CRITERIA DETAILS

ACTION: AUTO

HORSE: SEATTLE SLEW

SURFACE: TURF

DISTANCE: 1 MILE

BET TYPE: WIN

AMOUNT: \$5

PRESS \triangle ∇ TO SCROLL BET INFO.
TO EXIT, PRESS OK

112

108

110

10/10




FIG. 10

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
7 September 2001 (07.09.2001)

PCT

(10) International Publication Number
WO 01/65508 A3

(51) International Patent Classification⁷: G07F 17/32,
G06F 17/60

T.; 2991 S. Woodland Road, Muskogee, OK 74401 (US).
ZARING, Jon, C.; 1400 Lake Hearn Drive, NE, Atlanta,
GA 30319 (US).

(21) International Application Number: PCT/US01/06395

(22) International Filing Date: 28 February 2001 (28.02.2001)

(74) Agents: PIERRI, Margaret, A. et al.; Fish & Neave, 1251
Avenue of the Americas, New York, NY 10020 (US).

(25) Filing Language: English

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM,
HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK,
LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,
MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL,
TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.

(26) Publication Language: English

(30) Priority Data:
09/516,428 1 March 2000 (01.03.2000) US


(71) Applicant: ODS PROPERTIES, INC. [US/US]; 12421
West Olympic Boulevard, Los Angeles, CA 90064 (US).

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,

(72) Inventors: SATTERFIELD, Kevin, D.; 12788 S. 289th E.
Avenue, Coweta, OK 74429 (US). MARSHALL, Connie,

[Continued on next page]

(54) Title: INTERACTIVE WAGERING SYSTEM WITH CRITERIA WAGERING



(57) Abstract: An interactive wagering application is provided that allows users to establish wagering criteria. When the wagering application detects that a wagering opportunity is available that satisfies the user's selected criteria, the wagering application may take an appropriate action. The wagering application may, for example, automatically place a wager or may notify a user that the criteria have been satisfied. Wagering criteria may be based on a particular track, horse, jockey, trainer, racetrack surface, race distance, statistics, jockey silks, odds or changes in odds, etc.

WO 01/65508 A3

WO 01/65508 A3



IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(88) Date of publication of the international search report:

18 April 2002

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

INTERNATIONAL SEARCH REPORT

International Application No

PLT/US 01/06395

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 G07F17/32 G06F17/60

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G06F G07F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 283 731 A (LALONDE JAMES E ET AL) 1 February 1994 (1994-02-01) abstract column 2, line 3 - line 66	1-33
X	WO 95 26005 A (BELZBERG SYDNEY H) 28 September 1995 (1995-09-28) abstract page 18, line 15 -page 19, line 6	1-33
A	US 6 004 211 A (PERRY BRENT E ET AL) 21 December 1999 (1999-12-21) the whole document	1-33
P,A	WO 01 03089 A (ODS TECHNOLOGIES L P) 11 January 2001 (2001-01-11) abstract	1-33

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

Z document member of the same patent family

Date of the actual completion of the international search

19 September 2001

Date of mailing of the international search report

26/09/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl
Fax: (+31-70) 340-3016

Authorized officer

Van Dop, E

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 01/06395

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5283731	A	01-02-1994	AU 4405393 A 19-07-1994
		AU 6015594 A 19-07-1994	
		WO 9415428 A1 07-07-1994	
		WO 9415294 A1 07-07-1994	
WO 9526005	A	28-09-1995	CA 2119921 A1 24-09-1995
		AT 176535 T 15-02-1999	
		AU 1752095 A 09-10-1995	
		AU 9419698 A 04-02-1999	
		BR 9507141 A 30-09-1997	
		WO 9526005 A1 28-09-1995	
		CN 1147308 A 09-04-1997	
		DE 69507693 D1 18-03-1999	
		DE 69507693 T2 16-09-1999	
		EP 0752135 A1 08-01-1997	
		HU 74896 A2 28-02-1997	
		JP 10500788 T 20-01-1998	
		NO 963951 A 21-11-1996	
		US 6134535 A 17-10-2000	
US 6004211	A	21-12-1999	US 5830068 A 03-11-1998
		US 6099409 A 08-08-2000	
		US 6089981 A 18-07-2000	
		AU 725768 B2 19-10-2000	
		AU 7235696 A 27-03-1997	
		CA 2232308 A1 13-03-1997	
		DE 69611374 D1 01-02-2001	
		DE 69611374 T2 03-05-2001	
		EP 1004997 A2 31-05-2000	
		EP 1004998 A2 31-05-2000	
		EP 1004999 A2 31-05-2000	
		EP 1005000 A2 31-05-2000	
		EP 1005001 A2 31-05-2000	
		EP 0848846 A1 24-06-1998	
		ES 2153128 T3 16-02-2001	
		NZ 319764 A 24-09-1998	
		WO 9709699 A1 13-03-1997	
		ZA 9607206 A 03-03-1997	
WO 0103089	A	11-01-2001	AU 6067300 A 22-01-2001
		WO 0103089 A1 11-01-2001	

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.